

Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 1 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) 樣品型號(Style/Item No.) : P.C.B 印刷電路板 / P.C.B : 化銀板 (IMMERSION SILVER)

收件日期(Sample Receiving Date)

: 2012/09/13

測試期間(Testing Period)

: 2012/09/13 TO 2012/09/20 AND 2012/12/26 TO 2013/01/18 AND

2013/06/20 TO 2013/07/08

測試需求(Test Requested)

: 144項高關注物質篩檢. 高關注物質候選清單是根據歐洲化學總署(ECHA)於2013年06月20日 ,就關於REACH之Regulation (EC) No 1907/2006的公告。/ 144 Substances of Very High Concern (SVHC) screening. SVHC candidate list based on the publication by European Chemicals Agency (ECHA) on 2013 June 20, regarding Regulation (EC) No 1907/2006 concerning the REACH.

測試方法(Test Method)

: 請見下一頁 (Please refer to next pages).

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

總結(Summary)

: 根據歐洲化學總署及絕大部分歐盟會員國對於成品定義詮釋以及依據指定規範和分析技術, 送測樣品的高關注物質(SVHC)濃度均小於0.1% (According to the interpretation of ECHA and the majority of EU member states on the definition of an article as well as the specified scope and analytical technique, concentrations of all SVHC are <0.1% in the submitted sample(s))。

* 此份報告爲加測CC/2012/90085及合併CC/2012/90085A之報告 *

(This report is added testing by CC/2012/90085 and combined with CC/2012/90085A)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t+886 (02)2299 3279 f+886 (02)2299 3237 www.sgs.tw



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 2 of 14

元興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

測試樣品(Test Sample): 綠色印刷電路板 (GREEN PCB)

測試方法(Test Method):

參照SGS內部方法RSTS-EE-SVHC-007. 由感應耦合電漿原子發射光譜儀、紫外光可見光譜儀、氣相層析/質譜儀、液相層析質譜儀、氣相層析儀/火焰光度偵測器、液相層析/質譜儀/二極體陣列偵測器進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/MS/DAD.)

備註(Remark):

- 1. 144項SVHC化學分析,依歐洲化學總署(ECHA)於2013年06月20日所公佈的清單,藉由現有的分析技術進行篩檢。(The chemical analysis of 144 SVHC is performed by means of currently available analytical techniques against the list published by ECHA on 2013 June 20.)
 - 請參照(refer to) http://echa.europa.eu/web/guest/candidate-list-table
- 2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定,如果物質合乎第57條款之標準以及可依據第59(1)條之規定 鑑別,且同時符合下列兩項狀況,任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報:
 - (a) 成品中所含物質每年超過1公噸。
 - (b) 依重量百分比計算,物質濃度超過0.1%。
 - In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,
 - if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
- 3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商,其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%,應提供成品接受者充份可取得資訊,以確保成品的安全使用(至少包括物質的名稱)。
 - Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
- 4. 倘若SVHC超過限值,建議客户確認含有該SVHC的零件,並要求實驗室進一步的定量分析而取得SVHC的確切濃度。
 If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

沅興科技股份有限公司

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 3 of 14

YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

測試結果 (Test Results)

MI 声流 (Test Results)	成品濃度	報告		
物質名稱 (Substance Name)	(Concentration)	極限值	分類 (Classification)	
(Substance Name)	(%)	(RL)(%)		
蒽 / Anthracene (CAS No.: 120-12-7)	n.d.	0.05	PBT	
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (CAS	n.d.	0.05	CC 1B	
No.: 101-77-9)				
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	n.d.	0.05	TRC 1B	
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS	n.d.	0.05	TRC 1B	
No.: 85-68-7)				
鄰苯二甲酸二 (2-乙基己基)酯 / Bis (2-ethyl(hexyl)	n.d.	0.05	TRC 1B	
phthalate) (DEHP) (CAS No.: 117-81-7)				
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk	n.d.	0.05	vPvB	
Xylene) (CAS No.: 81-15-2)				
六溴環十二烷及所有主要被辨别出的異構物 / Hexabromocyclododecane	n.d.	0.05	PBT	
(HBCDD) and all major diastereoisomers identified ($lpha$ - HBCDD, eta -				
HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7,				
134237-50-6, 134237-52-8))				
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain	n.d.	0.05	PBT	
Chlorinated Paraffins) (CAS No.: 85535-84-8)				
三丁基錫氧化物 / Bis(tributyltin)oxide*** (CAS No.: 56-35-9)	n.d.	-	PBT	
二氯化鈷 / Cobalt dichloride (CAS No.: 7646-79-9)	n.d.	0.005	CC 1B; TRC 1B	
五氧化二砷 / Diarsenic pentaoxide*** (CAS No.: 1303-28-2)	n.d.	-	CC 1A	
三氧化二砷 / Diarsenic trioxide*** (CAS No.: 1327-53-3)	n.d.	-	CC 1A	
三乙基砷酸酯 / Triethyl arsenate*** (CAS No.: 15606-95-8)	n.d.	-	CC 1A	
砷酸氫鉛 / Lead hydrogen arsenate*** (CAS No.: 7784-40-9)	n.d.	-	CC 1A; TRC 1A	
(% 1)				
络酸鈉 / Sodium chromate*** (CAS No.: 7775-11-3)	n.d.	-	CC 1B; MC 1B; TRC 1B	
重鉻酸銨 / Ammonium dichromate*** (CAS No.: 7789-09-5)	n.d.	-	CC 1B; MC 1B; TRC 1B	
重鉻酸鉀 / Potassium dichromate*** (CAS No.: 7778-50-9)	n.d.	-	CC 1B; MC 1B; TRC 1B	
络酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6)	n.d.	-	CC 1B; MC 1B	
重鉻酸鈉 / Sodium dichromate*** (CAS No.: 10588-01-9, 7789-	n.d.	-	CC 1B; MC 1B; TRC 1B	
12-0(*))				
三氧化鉻 / Chromium trioxide ***(CAS No.: 1333-82-0)	n.d.	-	CC 1B; MC 1B	



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 4 of 14

沅興科技股份有限公司

YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid*** (CAS No.: 7738-94-5)	n.d.	-	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid*** (CAS No.: 13530-68-2)	n.d.	-	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid (*1)	n.d.	-	CC 1B
鉻酸鍶 / Strontium chromate*** (CAS No.: 7789-06-2)	n.d.	-	CC 1B
蔥油 / Anthracene oil (CAS No.: 90640-80-5) (**)	n.d.	0.05	PBT; vPvB; CC 1B
蔥油, 蔥糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights (CAS No.: 91995-17-4) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油,蔥糊,蔥餾分 / Anthracene oil, anthracene paste, anthracene fraction (CAS No.: 91995-15-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油,含蒽量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油, 蔥糊 / Anthracene oil, anthracene paste (CAS No.: 90640-81-6) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
煤瀝青, 高温 / Pitch, coal tar, high-temp. (CAS No.: 65996-93-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	n.d.	0.05	TRC 1B
2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No.: 121-14-2)	n.d.	0.05	CC 1B
磷酸三 (2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	n.d.	0.05	TRC 1B
鉻酸鉛 / Lead chromate (CAS No.: 7758-97-6)	n.d.	0.01	CC 1B; TRC 1A
銀鉻紅;顏色索引: 顏料紅104 / Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (CAS No.: 12656-85-8)	n.d.	0.01	CC 1B; TRC 1A
鉻酸鉛;顏色索引: 顏料黄34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34) (CAS No.: 1344-37-2)	n.d.	0.01	CC 1B; TRC 1A
丙烯醯胺 / Acrylamide (CAS No.: 79-06-1)	n.d.	0.05	CC 1B; MC 1B



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 5 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	n.d.	-	TRC 1B
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	n.d.	-	TRC 1B
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2)	n.d.	-	TRC 1B
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	n.d.	0.05	CC 1B
硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No.: 10124-43-3)	n.d.	-	CC 1B; TRC 1B
硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No.: 10141-05-6)	n.d.	-	CC 1B; TRC 1B
碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No.: 513-79-1)	n.d.	-	CC 1B; TRC 1B
醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No.: 71-48-7)	n.d.	-	CC 1B; TRC 1B
乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4)	n.d.	0.05	TRC 1B
乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5)	n.d.	0.05	TRC 1B
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No.: 111-15-9)	n.d.	0.05	TRC 1B
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / 1,2-	n.d.	0.05	TRC 1B
Benzenedicarboxylic acid, di-C7-11-branched and linear			
alkyl esters (DHNUP) (CAS No.: 68515-42-4)			
聯氨 / Hydrazine (CAS No.: 7803-57-8; 302-01-2)	n.d.	0.05	CC 1B
N-甲基吡咯烷酮 / 1-methy1-2-pyrrolidone (CAS No.: 872-50-4)	n.d.	0.05	TRC 1B
1,2,3-三氯丙烷 / 1,2,3-trichloropropane (CAS No.: 96-18-4)	n.d.	0.05	CC 1B; TRC 1B
鄰苯二甲酸二 (C6-8支鏈與直鏈)烷基酯,富C7 / 1,2-	n.d.	0.05	TRC 1B
Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich			
(DIHP) (CAS No.: 71888-89-6)			
砷酸 / Arsenic acid*** (CAS No.: 7778-39-4)	n.d.	-	CC 1A
砷酸鈣 / Calcium arsenate*** (CAS No.: 7778-44-1)	n.d.	-	CC 1A
砷酸鋁 / Trilead diarsenate*** (CAS No.: 3687-31-8) (※1)	n.d.	-	CC 1A; TRC 1A
疊氮化鉛 / Lead diazide, Lead azide*** (CAS No.: 13424-46-9)	n.d.	-	TRC 1A
中性斯蒂酚酸鉛 / Lead styphnate*** (CAS No.: 15245-44-0)	n.d.	-	TRC 1A
苦味酸鉛 / Lead dipicrate*** (CAS No.: 6477-64-1)	n.d.	-	TRC 1A
络酸络 / Dichromium tris (chromate)*** (CAS No.: 24613-89- 6)	n.d.	-	CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 6 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi- chromate*** (CAS No.: 11103-86-9)	n.d.	-	CC 1A
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide*** (CAS No.: 49663-84-5)	n.d.	-	CC 1A
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No.: 25214-70-4)	n.d.	0.05	CC 1B
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No.: 117-82-8)	n.d.	0.05	TRC 1B
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No.: 90-04-0)	n.d.	0.05	CC 1B
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	n.d.	0.05	EQC
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	n.d.	0.05	CC 1B
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	n.d.	0.05	TRC 1B
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	n.d.	0.05	TRC 1B
4,4'-亞甲雙 (2-氯苯胺) / 2,2'-dichloro- 4,4'- methylenedianiline (MOCA) (CAS No.: 101-14-4)	n.d.	0.05	CC 1B
酚酞 / Phenolphthalein (CAS No.: 77-09-8)	n.d.	0.05	CC 1B
矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍內)/ Aluminosilicate, Refractory Ceramic Fibres [oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges]	n.d.	0.05	CC 1B
结矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍内)/ Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	CC 1B
三廿醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No.: 112-49-2)	n.d.	0.05	TRC 1B
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	n.d.	0.05	TRC 1B



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 7 of 14

. 8 ,

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
甲醯胺 / Formamide (CAS No.: 75-12-7)	n.d.	0.05	TRC 1B
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2)	n.d.	-	TRC 1B
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5- triazine-2,4,6 (1H,3H,5H)-trione) (CAS No.: 2451-62-9)	n.d.	0.05	MC 1B
異氰尿酸B-三縮水甘油酯 / B-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No.: 59653-74-6) (※3)	n.d.	0.05	MC 1B
4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8)	n.d.	0.05	CC 1B
4,4'-(对二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'- tetramethyl- 4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1)	n.d.	0.05	CC 1B
鹼性紫 3 [内含≥ 0.1% 的米氏酮或米氏鹼] / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) (CAS No.: 548-62-9) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
鹼性藍 26 [内含≥ 0.1% 的米氏酮或米氏鹼] / [4-[[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (CAS No.: 2580-56-5) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
溶劑藍 4 [内含≥ 0.1% 的米氏酮或米氏鹼] / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) (CAS No.: 6786-83-0) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2)	n.d.	-	TRC 1B
α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [内含≥ 0.1% 的米氏酮或米氏鹼] / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol (CAS No.: 561-41-1) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 8 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE) (CAS No.: 1163-19-5)	n.d.	0.05	PBT
全氟十三酸 / Pentacosafluorotridecanoic acid (CAS No.: 72629-94-8)	n.d.	0.05	PBT
全氟十二酸 / Tricosafluorododecanoic acid (CAS No.: 307-55-1)	n.d.	0.05	PBT
全氟十一酸 / Henicosafluoroundecanoic acid (CAS No.: 2058-94-8)	n.d.	0.05	PBT
全氟十四酸 / Heptacosafluorotetradecanoic acid (CAS No.: 376-06-7)	n.d.	0.05	PBT
4-(1,1,3,3-四甲基丁基)苯酚,乙氧基一 以及所有的被定義的物質,未知成分或可變成分的物質,聚合物和同系物 / 4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated-covering well-defined substances and UVCB substances, polymers and homologues	n.d.	0.05	EQC
分支或線性的壬基酚,包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	n.d.	0.05	EQC
偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (CAS No.: 123-77-3)	n.d.	0.05	EQC
六氢苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	n.d.	0.05	EQC
甲基六氫苯酐 / Hexahydromethylphathalic anhydride (CAS No.: 25550-51-0) 4-甲基六氫苯酐 / Hexahydro-4-methylphathalic anhydride (CAS No.: 19438-60-9) 1-甲基六氫苯酐 / Hexahydro-1-methylphathalic anhydride (CAS No.: 48122-14-1) 3-甲基六氫苯酐 / Hexahydro-3-methylphathalic anhydride (CAS No.: 57110-29-9)	n.d.	0.05	EQC
甲氧基乙酸 / Methoxy acetic acid (CAS No.: 625-45-6)	n.d.	0.05	TRC 1B
支鏈和直鏈1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No.: 84777-06-0)	n.d.	0.05	TRC 1B



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 9 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
鄰苯二甲酸二異戊酯 / Diisopentylphthalate (CAS No.: 605-50-5)	n.d.	0.05	TRC 1B
鄰苯二甲酸正戊基異戊基酯 / N-pentyl-isopentylphtalate (CAS No.: 776297-69-9)	n.d.	0.05	TRC 1B
乙二醇二乙醚 / 1,2-Diethoxyethane (CAS No.: 629-14-1)	n.d.	0.05	TRC 1B
N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide (CAS No.: 68-12-2)	n.d.	0.05	TRC 1B
二氟二丁基錫 / Dibutyltin dichloride (DBTC) (CAS No.: 683-18-1)	n.d.	0.05	TRC 1B
城式醋酸鉛 / Acetic acid, lead salt, basic*** (CAS No.: 51404-69-4)	n.d.	-	TRC 1A
城式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)*** (CAS No.: 1319-46-6)	n.d.	-	TRC 1A
域式硫酸鉛 / Lead oxide sulfate*** (CAS No.: 12036-76-9)	n.d.	-	TRC 1A
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead*** (CAS No.: 69011-06-9)	n.d.	-	TRC 1A
雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead*** (CAS No.: 12578-12-0)	n.d.	-	TRC 1A
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts*** (CAS No.: 91031-62-8)	n.d.	-	TRC 1A
氨基氰鉛鹽 / Lead cyanamidate*** (CAS No.: 20837-86-9)	n.d.	-	TRC 1A
硝酸鉛 / Lead dinitrate*** (CAS No.: 10099-74-8)	n.d.	-	TRC 1A
氧化鉛 / Lead oxide (lead monoxide)*** (CAS No.: 1317-36-8)	n.d.	-	TRC 1A
四氧化鉛 / Lead tetroxide (orange lead)*** (CAS No.: 1314-41-6)	n.d.	-	TRC 1A
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate*** (CAS No.: 12065-90-6)	n.d.	-	TRC 1A
矽酸鉛 / Silicic acid, lead salt*** (CAS No.: 11120-22-2)	n.d.	-	TRC 1A
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic*** (CAS No.: 62229-08-7)	n.d.	-	TRC 1A
四乙基鉛 / Tetraethyllead*** (CAS No.: 78-00-2)	n.d.	-	TRC 1A
三鹼式硫酸鉛/ C.I. 顏料白 / Tetralead trioxide sulphate*** (CAS No.: 12202-17-4)	n.d.	-	TRC 1A



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 10 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
四氟硼酸鉛 (II) / Lead bis(tetrafluoroborate)*** (CAS No.: 13814-96-5)	n.d.	-	TRC 1A
鈦酸鉛 / Lead titanium trioxide*** (CAS No.: 12060-00-3)	n.d.	-	TRC 1A
鈦酸鉛鋯 / Lead Titanium Zirconium Oxide*** (CAS No.: 12626-81-2)	n.d.	-	TRC 1A
C.I.顏料黃41 / Pyrochlore, antimony lead yellow*** (CAS No.: 8012-00-8)	n.d.	-	TRC 1A
磷酸氧化鉛 / Trilead dioxide phosphonate*** (CAS No.: 12141-20-7)	n.d.	-	TRC 1A
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped (※4) (CAS No.: 68784-75-8)	n.d.	0.05	TRC 1A
呋喃 / Furan (CAS No.: 110-00-9)	n.d.	0.05	CC 1B
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane (CAS No.: 75-56-9)	n.d.	0.05	CC 1B; MC 1B
硫酸二乙酯 / Diethyl sulphate (CAS No.: 64-67-5)	n.d.	0.05	CC 1B; MC 1B
硫酸二甲酯 / Dimethyl sulphate (CAS No.: 77-78-1)	n.d.	0.05	CC 1B
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine (CAS No.: 143860-04-2)	n.d.	0.05	TRC 1B
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb (CAS No.: 88-85-7)	n.d.	0.05	TRC 1B
4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine (CAS No.: 838-88-0)	n.d.	0.05	CC 1B
4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts (CAS No.: 101-80-4)	n.d.	0.05	CC 1B; MC 1B
4-苯基偶氮基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline (CAS No.: 60-09-3)	n.d.	0.05	CC 1B
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine) (CAS No.: 95-80-7)	n.d.	0.05	CC 1B
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine) (CAS No.: 120-71-8)	n.d.	0.05	CC 1B
4-胺基聯苯 / Biphenyl-4-ylamine (CAS No.: 92-67-1)	n.d.	0.05	CC 1A
鄰氨基偶氮甲苯 / o-aminoazotoluene (CAS No.: 97-56-3)	n.d.	0.05	CC 1B
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene (CAS No.: 95-53-4)	n.d.	0.05	CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

日期(Date): 2013/07/08 頁數(Page): 11 of 14 號碼(No.): CC/2012/90085B

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
N-甲基乙醯胺 / N-methylacetamide (CAS No.: 79-16-3)	n.d.	0.05	TRC 1B
正丙基溴 / 1-bromopropane (CAS No.: 106-94-5)	n.d.	0.05	TRC 1B
全氟辛酸 / Pentadecafluorooctanoic acid (PFOA) (CAS No.: 335-67-1)	n.d.	0.05	TRC 1B & PBT
全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)*** (CAS No.: 3825-26-1)	n.d.	-	TRC 1B & PBT
鎬 / Cadmium (Cd) (CAS No.: 7440-43-9)	n.d.	0.005	CC 1B & EQC
氧化鎬 / Cadmium oxide*** (CAS No.: 1306-19-0)	n.d.	-	CC 1B & EQC
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	n.d.	0.05	TRC 1B
分支或線性的乙氧化壬基酚,包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	n.d.	0.05	EQC

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d.= not detected = below Reporting Limit / 未檢出
- 3. RL = Reporting Limit / 報告極限値
- 4. "-" = Not Regulated (無規格值)
- 5.(*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1374 (conc. of Sodium dichromate dihydrate = conc. of sodium dichromate \times 1.1374)
- 6. (*1): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成,而導致沒有固定分子量,因此以單 體鉻酸或重鉻酸較為重要並應被考慮。/ Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
- 7. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作爲代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).
- 8. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來. / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention of advant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document and this document on the company and the compan

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t+886 (02)2299 3279 f+886 (02)2299 3237 www.sgs.tw

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 12 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

9. ***: 該物質是由三丁基錫、全氟辛酸或各别元素 (例如: 砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知. / The substance was calculated by the test results of Tributyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).

測試結果如下(The test result is given as):

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05
砷 / Arsenic (As) (※2)	n.d.	0.005
鉛 / Lead (Pb)	n.d.	0.005
六價鉻 / Hexavalent Chromium Cr(VI)	n.d.	0.005
硼 / Boron (B) (※2)	n.d.	0.005
鈷 / Cobalt (Co)	n.d.	0.005

10. (※1): 此砷鉛化合物之濃度是取砷及鉛雨者各别換算出砷鉛化合物濃度,並取其最小值做爲最後出報告之依據.

(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

- 11. F 參數換算表/F Parameter Conversion Table: Please refer to http://twap.sgs.com/V3attachment/News/N_20130415_1.pdf
- 12. 分類/Classification: Please refer to http://twap.sgs.com/V3attachment/News/N_20130415_2.pdf
- 13.(※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之. / The extracted soluble Boron / Arsenic are detected by ICP-AES.
- 14. (※3): 由於TGIC本身含有 \mathcal{B} -TGIC,依照ECHA 技術文件 \mathcal{B} -TGIC與 TGIC 約為 1:10 比例,因此 \mathcal{B} -TGIC將以1/10 的 TGIC計算濃度。/ TGIC is a mixture and also contains \mathcal{B} -TGIC. According to the ECHA's technical dossier the ratio of \mathcal{B} -TGIC to TGIC is around 1 to 10. Therefore \mathcal{B} -TGIC is issued based on the above-mentioned ratio.
- 15. (※4): 只有在矽與鉛定性結果爲陽性時,再以鋇之濃度換算之。/ Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 13 of 14


沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD. 桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.



SVHC 分析流程圖 / Analytical flow chart of SVHC

- 測試人員: 翁賜彬/周穗華/楊登偉 / Name of the person who made measurement: Roman Wong / Stacy Chou / Climbgreat Yang
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CC/2012/90085B 日期(Date): 2013/07/08 頁數(Page): 14 of 14

沅興科技股份有限公司 YUAN CIRCUIT TECHNOLOGY CO., LTD.

桃園縣楊梅市幼獅工業區幼四路4號

NO. 4 YOUTH 4TH ROAD, YOUTH INDUSTRIAL PARK TAOYUAN, TAIWAN R. O. C.

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位。*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CC/2012/90085



CC/2012/90085



** 報告結尾(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.